

AD-A241 394



MEMORANDUM REPORT BRL-MR-3935

BRL

A NOVEL MOUNT FOR USE WITH MOLECULAR
BEAM SKIMMER-BASED LIGHT BAFFLES

T. S. BOWEN
W. R. ANDERSON

AUGUST 1991

DTIC
ELECTE
OCT 08 1991
S B

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

REPRODUCED FROM
BEST AVAILABLE COPY

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

91-12536



91-10-0090

NOTICES

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position
unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement
of any commercial product.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE August 1991	3. REPORT TYPE AND DATES COVERED Final, 31 May 89 - 1 June 90		
4. TITLE AND SUBTITLE A Novel Mount For Use With Molecular Beam Skimmer-Based Light Baffles		5. FUNDING NUMBERS PR: 1L161102AH43		
6. AUTHOR(S) T. S. Bowen and W. R. Anderson		8. PERFORMING ORGANIZATION REPORT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) US Army Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 21005-5066		10. SPONSORING / MONITORING AGENCY REPORT NUMBER BRL-MR-3935		
11. SUPPLEMENTARY NOTES T. S. Bowen was formerly with National Academy of Sciences/National Research Council as a Postdoctoral Research Associate at Ballistic Research Laboratory; present address: Naval Weapons Center, Code 3522, China Lake, CA 93555.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) One of the most troublesome problems in LIF experiments currently being performed in our laboratory to expand the spectral database on species relevant to propellant combustion is the appearance of unwanted, scattered laser light at the detector. This problem can severely reduce the overall sensitivity of the system and preclude experiments. One way to largely alleviate the problem is through the use of light baffles as designed by J. E. Butler of the Naval Research Laboratories. However, the design of mounts for these baffles is not a simple matter because of several problems including alignment of multiple baffles through which the laser beam must pass and fragility of the baffles. This report presents a simple mount which we have designed to overcome all of these problems. The mount is easy to make, may be stacked if multiple baffles are desired, and protects the baffles from damage while removed from the vacuum system.				
14. SUBJECT TERMS laser induced fluorescence; flow systems; sensitivity; scattering reduction			15. NUMBER OF PAGES 16	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED			16. PRICE CODE	
			20. LIMITATION OF ABSTRACT SAR	
18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		

INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

	<u>Page</u>
ACKNOWLEDGMENT	v
1. INTRODUCTION	1
2. DESIGN OF MOUNTS	1
3. SUMMARY	6
DISTRIBUTION LIST	7

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

INTENTIONALLY LEFT BLANK.

ACKNOWLEDGMENT

The authors wish to thank Dr. Rosario C. Sausa for his aid in preparing Figure 1.

INTENTIONALLY LEFT BLANK.

1. INTRODUCTION

Ultraviolet and visible optical techniques are frequently used in our laboratory to probe combustng propellants and other flames. The database of spectral constants necessary for interpreting the results of these experiments comes from the literature and from our own experiments. In our experiments, the species of interest is formed in a vacuum system flow cell under more controlled conditions than in the flames and interrogated using laser-induced fluorescence (LIF). One of the major difficulties encountered in such flow cell-based LIF experiments is the noise produced as a result of scattered laser light. As is well known, the light scattered from a number of surfaces in an apparatus such as a flow cell severely limits the sensitivity of the detection system. One technique to significantly reduce the scattered laser light is the use of light baffles such as designed by J.E. Butler of the Naval Research Laboratory (Butler 1982). Based on the skimmers used in a molecular beam apparatus, his design offers a significant improvement in S/N over the traditionally employed flat iris-type baffles. (A factor of 10^2 – 10^3 reduction in laser scatter and window fluorescence reaching the detector is common.) The baffles are thin, metallic shells of a slightly curved conical shape (see Figure 1); the tip is removed in such a way as to provide a circular orifice with a razor-sharp edge. The laser beam passes through this orifice, but off-axis stray light is rejected, as shown in Figure 1.

We recently obtained a large quantity of these baffles for use in our flow cell-based experiments. However, since these baffles are electroformed (electrically plated onto a metal form) to a thin breadth from copper, they are relatively fragile. Thus, the problem of how to mount and align a single baffle, let alone a stack or array of baffles, becomes nontrivial.

2. DESIGN OF MOUNTS

The most obvious solution to the problem outlined above is to affix the base of each baffle to a larger diameter washer with an adhesive suitable for use at low pressures; the washers are then mounted and spaced on metallic rods. In practice, it becomes clear that this method

Butler, J. E. "Efficient Baffles for Laser Light Scattering Experiments." App. Opt., vol. 21, p. 3617, 1982.

creates three problems. First, there are alignment difficulties. Since a stack of several baffles is generally used, both the washers and the baffles must be carefully aligned upon initial assembly—a difficult task. Second, since an adhesive is used, the baffles may not be readily demounted and adjustments are not easily made. At the very least, it becomes an inconvenience when a change or replacement is required and realignment is necessary. Third, stray light may slip around the washer assembly.

We report a design for a light baffle mount that solves all of these problems. Design criteria were based on the dimensions of a standard stainless steel vacuum nipple in which the baffles and their mounts would be contained (O.D., 1.5 in [3.81 cm]; I.D., 1.375 in [3.49 cm]; length, 6 in [15.24 cm]; with 2.75 in [6.99 cm] conflat flanges) and the overall dimensions of the light baffles we had in our possession. Such a nipple is essentially just a straight piece of pipe with vacuum flanges at the ends. The size nipple we used is a typical building block for vacuum systems and is available from a number of companies that supply vacuum equipment. Two of these nipples through which laser beams are passed are attached




Figure 1. Light Baffle. The Baffle Is Shown Here in Its Intended Usage to Pass the Central Portion of a Laser Beam and Reject the Outer Portion. When Several of These Are Placed Along a Laser Beam, Light Rays Angled Away From the Direction of the Laser Beam Are Also Rejected by the Baffles.

on either side of a six-port stainless steel cross in which LIF samples are interrogated. The specific information regarding minor and major diameters, radius of curvature, etc., for the baffles can be found in Butler (1982).

The mount to be described actually refers to a set of two components—the holder in which the baffle resides and a retaining ring which fixes the baffle in place (Figures 2 and 3). All parts were fabricated from aluminum round stock. Therefore, the costs were relatively low and the difficulty associated with the material was minimal. If a computer controlled lathe is available, these parts can be produced in "cookie cutter" fashion.

The first mount was fabricated with a nipple and a light baffle on hand in order to best determine acceptable tolerances for some of its dimensions. The light baffle rests on a ledge machined through the center of the mount (see Figure 3). The width of the ledge is sufficient to accommodate a variety of major baffle diameters. This is necessary because the electroforming process had a tendency to produce major diameters of slightly varying size. This aspect is of minimal concern because the radius of curvature, aperture size, and razor-like edge requirement of the minor diameter are of primary importance in reducing the amount of scattered light. The O.D. of the mounts is designed to provide a close fit within the nipple. This facilitates alignment along the axis of the laser beam while virtually eliminating the possibility of light scattering around the assembly. Four 4-40 tapped holes, equally spaced around the circumference at the base, allow one to fix, using set screws, the mount into the nipple. The (reduced) O.D. at the top of the mount will fit snugly within the I.D. at the base of another mount, thus allowing several mounts to be stacked. When more than one baffle is desirable, as is typically the case, the threaded holes at the base can be used to secure the mounts to each other using set screws.

Once the baffle is set within a holder, a retaining ring is slipped over the top portion and rests on the surface of the baffle itself. As can be seen in Figure 2, the cross section of the ring is tapered. This reduces the possibility of deforming the curved surface of the baffle. A second set of 4-40 tapped holes placed around the circumference fix the retaining ring, and thus, the baffle in place. By adjusting the travel of these set screws, baffles that are slightly asymmetric (as a result of a poorly formed base) may be centered.




Figure 2. Cross Sectional Drawing of Two Piece Light Baffle Mount Consisting of Retaining Ring and Holder. All dimensions Are in Inches (1.00 Inch = 2.54 cm).




Figure 3. An Assembled Stack of Baffles in Mounts (Not Drawn to Scale).

Examination of an assembled mount/baffle set shows that the tip of the baffle projects only slightly from the top of the mount. Therefore, for the most part, the baffle is protected against accidental damage that may result (for example) from being dropped on the floor. (This particular safety feature was tested many times.)

After a stack has been assembled, alignment is accomplished by simply rotating individual sections until the apertures are aligned and then tightening the set screws located at the base of each section. A maximum of six mounts may be stacked and still fit within a single nipple. The entire stack is inserted into the appropriate nipple on the apparatus and fixed into place.

3. SUMMARY

All sections of the mounts described herein are interchangeable and all baffles are easily demounted and exchanged for ones of different size apertures. It should be obvious that the dimensions of these mounts (and baffles) could be adapted for use with an apparatus employing components of a different size. In summary, we have found this to be a simple, effective method of mounting these useful baffles.

No. of Copies	Organization	No. of Copies	Organization
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Commander U.S. Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander U.S. Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001	1	Commander U.S. Army Tank-Automotive Command ATTN: ASQNC-TAC-DIT (Technical Information Center) Warren, MI 48397-5000
1	Commander U.S. Army Laboratory Command ATTN: AMSLC-DL 2800 Powder Mill Road Adelphi, MD 20783-1145	1	Director U.S. Army TRADOC Analysis Command ATTN: ATRC-WSR White Sands Missile Range, NM 88002-5502
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000	1	Commandant U.S. Army Field Artillery School ATTN: ATSF-CSI Ft. Sill, OK 73503-5000
		(Class. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	(Unclass. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5660
1	Director Benet Weapons Laboratory U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050	1	Air Force Armament Laboratory ATTN: WL/MNOI Eglin AFB, FL 32542-5000
			<u>Aberdeen Proving Ground</u>
(Unclass. only) 1	Commander U.S. Army Armament, Munitions and Chemical Command ATTN: AMSMC-IMF-L Rock Island, IL 61299-5000	2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
1	Director U.S. Army Aviation Research and Technology Activity ATTN: SAVRT-R (Library) M/S 219-3 Ames Research Center Moffett Field, CA 94035-1000	1	Cdr, USATECOM ATTN: AMSTE-TC
		3	Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-MSI
		1	Dir, VLAMO ATTN: AMSLC-VL-D
		10	Dir, BRL ATTN: SLCBR-DD-T

<u>No. of Copies</u>	<u>Organization</u>
1	HQDA (SARD-TR, C.H. Church) WASH DC 20310-0103
4	Commander US Army Research Office ATTN: R. Ghirardelli D. Mann R. Singleton R. Shaw P.O. Box 12211 Research Triangle Park, NC 27709-2211
2	Commander US Army Armament Research, Development, and Engineering Center ATTN: SMCAR-AEE-B, D.S. Downs SMCAR-AEE, J.A. Lannon Picatinny Arsenal, NJ 07806-5000
1	Commander US Army Armament Research, Development, and Engineering Center ATTN: SMCAR-AEE-BR, L. Harris Picatinny Arsenal, NJ 07806-5000
2	Commander US Army Missile Command ATTN: AMSMI-RD-PR-E, A.R. Maykut AMSMI-RD-PR-P, R. Betts Redstone Arsenal, AL 35898-5249
1	Office of Naval Research Department of the Navy ATTN: R.S. Miller, Code 432 800 N. Quincy Street Arlington, VA 22217
1	Commander Naval Air Systems Command ATTN: J. Ramnarace, AIR-54111C Washington, DC 20360
1	Commander Naval Surface Warfare Center ATTN: J.L. East, Jr., G-23 Dahlgren, VA 22448-5000

<u>No. of Copies</u>	<u>Organization</u>
2	Commander Naval Surface Warfare Center ATTN: R. Bernecker, R-13 G.B. Wilmot, R-16 Silver Spring, MD 20903-5000
5	Commander Naval Research Laboratory ATTN: M.C. Lin J. McDonald E. Oran J. Shnur R.J. Doyle, Code 6110 Washington, DC 20375
1	Commanding Officer Naval Underwater Systems Center Weapons Dept. ATTN: R.S. Lazar/Code 36301 Newport, RI 02840
2	Commander Naval Weapons Center ATTN: T. Boggs, Code 388 T. Parr, Code 3895 China Lake, CA 93555-6001
1	Superintendent Naval Postgraduate School Dept. of Aeronautics ATTN: D.W. Netzer Monterey, CA 93940
3	AL/LSCF ATTN: R. Corley R. Geisler J. Levine Edwards AFB, CA 93523-5000
1	AL/MKPB ATTN: B. Goshgarian Edwards AFB, CA 93523-5000
1	AFOSR ATTN: J.M. Tishkoff Bolling Air Force Base Washington, DC 20332
1	OSD/SDIO/IST ATTN: L. Caveny Pentagon Washington, DC 20301-7100

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commandant USAFAS ATTN: ATSF-TSM-CN Fort Sill, OK 73503-5600	1	Atlantic Research Corp. ATTN: R.H.W. Waesche 7511 Wellington Road Gainesville, VA 22065
1	F.J. Seiler ATTN: S.A. Shackelford USAF Academy, CO 80840-6528	1	AVCO Everett Research Laboratory Division ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149
1	University of Dayton Research Institute ATTN: D. Campbell AL/PAP Edwards AFB, CA 93523	1	Battelle ATTN: TACTEC Library, J. Huggins 505 King Avenue Columbus, OH 43201-2693
1	NASA Langley Research Center Langley Station ATTN: G.B. Northam/MS 168 Hampton, VA 23365	1	Cohen Professional Services ATTN: N.S. Cohen 141 Channing Street Redlands, CA 92373
4	National Bureau of Standards ATTN: J. Hastie M. Jacox T. Kashiwagi H. Semerjian US Department of Commerce Washington, DC 20234	1	Exxon Research & Eng. Co. ATTN: A. Dean Route 22E Annandale, NJ 08801
1	Aerojet Solid Propulsion Co. ATTN: P. Micheli Sacramento, GA 95813	1	Ford Aerospace and Communications Corp. DIVAD Division Div. Hq., Irvine ATTN: D. Williams Main Street & Ford Road Newport Beach, CA 92663
1	Applied Combustion Technology, Inc. ATTN: A.M. Varney P.O. Box 607885 Orlando, FL 32860	1	General Applied Science Laboratories, Inc. 77 Raynor Avenue Ronkonkama, NY 11779-6649
2	Applied Mechanics Reviews The American Society of Mechanical Engineers ATTN: R.E. White A.B. Wenzel 345 E. 47th Street New York, NY 10017	1	General Electric Ordnance Systems ATTN: J. Mandzy 100 Plastics Avenue Pittsfield, MA 01203
1	Atlantic Research Corp. ATTN: M.K. King 5390 Cherokee Avenue Alexandria, VA 22314	1	General Motors Rsch Labs Physical Chemistry Department ATTN: T. Sloane Warren, MI 48090-9055

<u>No. of Copies</u>	<u>Organization</u>
2	Hercules, Inc. Allegheny Ballistics Lab. ATTN: W.B. Walkup E.A. Yount P.O. Box 210 Rocket Center, WV 26726
1	Alliant Techsystems, Inc. Marine Systems Group ATTN: D.E. Broder/ MS MN50-2000 600 2nd Street NE Hopkins, MN 55343
1	Alliant Techsystems, Inc. ATTN: R.E. Tompkins MN38-3300 5700 Smetana Drive Minnetonka, MN 55343
1	IBM Corporation ATTN: A.C. Tam Research Division 5600 Cottle Road San Jose, CA 95193
1	IIT Research Institute ATTN: R.F. Remaly 10 West 35th Street Chicago, IL 60616
2	Director Lawrence Livermore National Laboratory ATTN: C. Westbrook M. Costantino P.O. Box 808 Livermore, CA 94550
1	Lockheed Missiles & Space Co. ATTN: George Lo 3251 Hanover Street Dept. 52-35/B204/2 Palo Alto, CA 94304
1	Director Los Alamos National Lab ATTN: B. Nichols, T7, MS-B284 P.O. Box 1663 Los Alamos, NM 87545

<u>No. of Copies</u>	<u>Organization</u>
1	National Science Foundation ATTN: A.B. Harvey Washington, DC 20550
1	Olin Ordnance ATTN: V. McDonald, Library P.O. Box 222 St. Marks, FL 32355-0222
1	Paul Gough Associates, Inc. ATTN: P.S. Gough 1048 South Street Portsmouth, NH 03801-5423
2	Princeton Combustion Research Laboratories, Inc. ATTN: M. Summerfield N.A. Messina 475 US Highway One Monmouth Junction, NJ 08852
1	Hughes Aircraft Company ATTN: T.E. Ward 8433 Fallbrook Avenue Canoga Park, CA 91303
1	Rockwell International Corp. Rocketdyne Division ATTN: J.E. Flanagan/HB02 6633 Canoga Avenue Canoga Park, CA 91304
4	Director Sandia National Laboratories Division 8354 ATTN: R. Cattolica S. Johnston P. Mattern D. Stephenson Livermore, CA 94550
1	Science Applications, Inc. ATTN: R.B. Edelman 23146 Cumorah Crest Woodland Hills, CA 91364
3	SRI International ATTN: G. Smith D. Crosley D. Golden 333 Ravenswood Avenue Menlo Park, CA 94025

<u>No. of Copies</u>	<u>Organization</u>
1	Stevens Institute of Tech. Davidson Laboratory ATTN: R. McAlevy, III Hoboken, NJ 07030
1	Sverdrup Technology, Inc. LERC Group ATTN: R.J. Locke, MS SVR-2 2001 Aerospace Parkway Brook Park, OH 44142
1	Sverdrup Technology, Inc. ATTN: J. Deur 2001 Aerospace Parkway Brook Park, OH 44142
1	Thiokol Corporation Elkton Division ATTN: S.F. Palopoli P.O. Box 241 Elkton, MD 21921
3	Thiokol Corporation Wasatch Division ATTN: S.J. Bennett P.O. Box 524 Brigham City, UT 84302
1	United Technologies Research Center ATTN: A.C. Eckbreth East Hartford, CT 06108
3	United Technologies Corp. Chemical Systems Division ATTN: R.S. Brown T.D. Myers (2 copies) P.O. Box 49028 San Jose, CA 95161-9028
1	Universal Propulsion Company ATTN: H.J. McSpadden Black Canyon Stage 1 Box 1140 Phoenix, AZ 85029
1	Veritay Technology, Inc. ATTN: E.B. Fisher 4845 Millersport Highway P.O. Box 305 East Amherst, NY 14051-0305

<u>No. of Copies</u>	<u>Organization</u>
1	Brigham Young University Dept. of Chemical Engineering ATTN: M.W. Beckstead Provo, UT 84058
1	California Institute of Tech. Jet Propulsion Laboratory ATTN: L. Strand/MS 512/102 4800 Oak Grove Drive Pasadena, CA 91109
1	California Institute of Technology ATTN: F.E.C. Culick/ MC 301-46 204 Karman Lab. Pasadena, CA 91125
1	University of California Los Alamos Scientific Lab. P.O. Box 1663, Mail Stop B216 Los Alamos, NM 87545
1	University of California, Berkeley Chemistry Department ATTN: C. Bradley Moore 211 Lewis Hall Berkeley, CA 94720
1	University of California, San Diego ATTN: F.A. Williams AMES, B010 La Jolla, CA 92093
2	University of California, Santa Barbara Quantum Institute ATTN: K. Schofield M. Steinberg Santa Barbara, CA 93106
1	University of Colorado at Boulder Engineering Center ATTN: J. Daily Campus Box 427 Boulder, CO 80309-0427

<u>No. of Copies</u>	<u>Organization</u>
2	University of Southern California Dept. of Chemistry ATTN: S. Benson C. Wittig Los Angeles, CA 90007
1	Cornell University Department of Chemistry ATTN: T.A. Cool Baker Laboratory Ithaca, NY 14853
1	University of Delaware ATTN: T. Brill Chemistry Department Newark, DE 19711
1	University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, FL 32611
3	Georgia Institute of Technology School of Aerospace Engineering ATTN: E. Price W.C. Strahle B.T. Zinn Atlanta, GA 30332
1	University of Illinois Dept. of Mech. Eng. ATTN: H. Krier 144MEB, 1206 W. Green St. Urbana, IL 61801
1	Johns Hopkins University/APL Chemical Propulsion Information Agency ATTN: T.W. Christian Johns Hopkins Road Laurel, MD 20707
1	University of Michigan Gas Dynamics Lab Aerospace Engineering Bldg. ATTN: G.M. Faeth Ann Arbor, MI 48109-2140

<u>No. of Copies</u>	<u>Organization</u>
1	University of Minnesota Dept. of Mechanical Engineering ATTN: E. Fletcher Minneapolis, MN 55455
3	Pennsylvania State University Applied Research Laboratory ATTN: K.K. Kuo H. Palmer M. Micci University Park, PA 16802
1	Pennsylvania State University Dept. of Mechanical Engineering ATTN: V. Yang University Park, PA 16802
1	Polytechnic Institute of NY Graduate Center ATTN: S. Lederman Route 110 Farmingdale, NY 11735
2	Princeton University Forrestal Campus Library ATTN: K. Brezinsky I. Glassman P.O. Box 710 Princeton, NJ 08540
1	Purdue University School of Aeronautics and Astronautics ATTN: J.R. Osborn Grissom Hall West Lafayette, IN 47906
1	Purdue University Department of Chemistry ATTN: E. Grant West Lafayette, IN 47906
2	Purdue University School of Mechanical Engineering ATTN: N.M. Laurendeau S.N.B. Murthy TSPC Chaffee Hall West Lafayette, IN 47906

<u>No. of Copies</u>	<u>Organization</u>
1	Rensselaer Polytechnic Inst. Dept. of Chemical Engineering ATTN: A. Fortijn Troy, NY 12181
1	Stanford University Dept. of Mechanical Engineering ATTN: R. Hanson Stanford, CA 94305
1	University of Texas Dept. of Chemistry ATTN: W. Gardiner Austin, TX 78712
1	University of Utah Dept. of Chemical Engineering ATTN: G. Flandro Salt Lake City, UT 84112
1	Virginia Polytechnic Institute and State University ATTN: J.A. Schetz Blacksburg, VA 24061
1	Freedman Associates ATTN: E. Freedman 2411 Diana Road Baltimore, MD 21209-1525
10	Naval Research Laboratories Chemistry Division ATTN: J. Butler Washington, DC 20375
5	Commander US Naval Weapons Center ATTN: Code 3522, T.S. Bowen China Lake, CA 93555

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers below will aid us in our efforts.

1. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

2. How, specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

3. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

4. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

BRL Report Number BRL-MR-3935 Division Symbol _____

Check here if desire to be removed from distribution list. _____

Check here for address change. _____

Current address: Organization _____
 Address _____

DEPARTMENT OF THE ARMY
Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066

OFFICIAL BUSINESS

BUSINESS REPLY MAIL

FIRST CLASS PERMIT No 0001, APG, MD

Postage will be paid by addressee

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

